


## The T1000 Series Surgical Table



**AMTAI**

**AMTAI Medical Equipment, Inc.**

7711-106 Welborn Street

Raleigh, NC 27615 USA

Tel: (919)872-1803

Fax: (919)713-4145

[www.amtai.com](http://www.amtai.com)

[sales@amtai.com](mailto:sales@amtai.com)



**T1000 Series**



**AMTAI**

# The T1000 Universal Surgical Table

With more than 20 years of experience, the designer behind the creation of the T1000 Series surgical tables has struck the balance between

**ADVANCED TECHNOLOGY** and **COST EFFECTIVENESS**, at the same time, pushing to be ever more **VERSATILE, SAFE, RELIABLE, DURABLE, EASY TO USE**, and compatible with **INNOVATIVE IMAGING TECHNOLOGY**.

## Versatility

The T1000 table is designed for all surgical procedures

- four section table top contours to all patient postures
- leg extension can be quickly removed for perineal access
- small and slim base enhances C-arm and surgical team access
- radiolucent kidney elevator enhances lateral procedures
- auto level button brings the patient back to level
- slick table design enables easy cleaning
- lightweight table is easy to move

## Safety


T1000 tables will support patients as heavy as:

- 1,000 lb (454 kg) with full patient posturing
- sensors are used to prevent table section conflict
- short leg section could be raised to prevent patient from slipping down in some surgical procedures

## Imaging

T1000 table provides a great amount of imaging area:

- outstanding 14.4" (366 mm) imaging window width
- outstanding longitudinal slide provides up to optimal imaging window length of 51.5" (1307 mm)



## Durability and Reliability

T1000 table comes standard with dual power system, letting the table to be used by either electric or battery power. Both hand pendant and table base have power indicator. T1000 tables also have manual override control system.

## Ease of Use

The simple and clever layout of hand pendant's keypad allows the user to intuitively control all aspect of operation. The self-diagnostic feature allows the technician to know right the way where the problem is, thus keeping the table's down time to its minimum.

## Cost Effectiveness

The T1000 table is versatile and compatible with many existing accessories, providing enormous cost saving. The reliability and durability helps lower maintenance cost.

Function \ Model	Tabletop Sliding	Kidney Elevator	Foot Pump
T1000	NA	NA	NA
T1000K	NA	✓	NA
T1000S	✓	NA	NA
T1000SK	✓	✓	NA
T1000SKP	✓	✓	✓



### Efficient Lock Features

Quick and easy removal of leg extension for maximum patient access

### Short Leg Section

Raise up to prevent patient from slipping off the table in some positions




### Hand Pendant Clip

Easy on-off clip prevents hand pendant from falling onto the floor



### Integrated Manual Override System

Easy access to foot pedal and override control system



### Easy-To-Read Indicators

Continuous battery level status

## T1000 Table: Versatile, Easy to Use and Innovative

Radiolucent kidney elevator enhances lateral procedures

Maximizing C-arm access with outstanding 12.2" (310 mm) longitudinal slide and compact mechanism



Smooth head section adjustment

Removable leg extension (or articulate down to 105°)

Patient Weight Capacity: 1,000 lb (454 kg) with full patient posturing

Intelligent floor lock system with auto floor leveling mechanism prevents wobbling of table base

Compact base maximized foot room




### Easy-to-Use Hand Pendant

The hand pendant is ergonomically designed with easy-to-read icons. The "Flex", "Reflex" and "Level" functions enable positioning the patient quickly and safely.

### Limit Sensors

T1000 table utilizes advanced sensory technology to prevent sectional conflict.





Backlit Keypad Helps to Operate in the Dark







# T1000 Tables Imaging Area (IA) Coverage

## Models T1000/T1000K




## Models T1000S/ T1000SK/ T1000SKP



Note: 14.4" (366 mm) imaging window width for all tables.

## Parts Identification

1. Detachable Head Section
2. Back Section
3. Kidney Elevator
4. Seat Section
5. Leg Section
6. Detachable Leg Extension
7. Side Rail
8. Thumbscrews
9. Base Penal with Override Control
10. Central Column
11. Table Base
12. Ratchet Wrench (for kidney elevator)



## Range of Table Movements

**Height:** 26in to 48in (66cm to 122cm)

**Sliding:** 12.2in (31cm)

**Lateral Tilt:** 20° from horizontal.

**Trendelenburg:** 30° from horizontal.

**Reverse Trendelenburg:** 30° from horizontal.

**Back Section:** 80° up or 50° down from horizontal.

**Leg Section:** 80° up or 105° down from horizontal.

**Head Section:** 90° up or 90° down from horizontal.

**Kidney Bar Elevation:** 0 ~4.7in (12cm) up from tabletop.

**Flex:** 25° down maximum from horizontal for both Back and Seat sections.

Note:

Flex in REVERSE patient orientation: Back down 30° maximum and seat down 30° maximum from horizontal.

**Reflex:** 30° up maximum from horizontal for both Back and Seat sections.

Note:

Reflex in REVERSE patient orientation: Back up 30° maximum with seat up 30° maximum from horizontal.